L Numb r	Hits	S arch T xt	DB	Time stamp
1 2	2449	235/487.ccls.	USPAT;	2004/01/07
	2-7-70	200/40/100101	US-PGPUB;	14:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	192	235/468.ccls.	USPAT;	2004/01/07
	102	200,400100131	US-PGPUB;	14:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	513	((barcode or "bar code") and (multi-layer or	USPAT;	2004/01/07
3	0.0	multilayer)) and array	US-PGPUB;	14:39
		marinayor,, and array	EPO; JPO;	14100
			DERWENT;	
			IBM_TDB	
4	639	283/74.ccls.	USPAT;	2004/01/07
4	JJJ		US-PGPUB;	14:39
			EPO; JPO;	.7.00
			DERWENT;	
			IBM_TDB	
6	1363	283/81.ccls.	USPAT;	2004/01/07
	.000	200/0 1100131	US-PGPUB;	14:39
			EPO; JPO;	14.55
			DERWENT;	
			IBM_TDB	
7	460	283/82.ccls.	USPAT;	2004/01/07
	400	LUS/ULICUIS.	US-PGPUB;	14:39
			EPO; JPO;	17.55
			DERWENT;	
			IBM_TDB	
8	97	((matrix adj code) and array) and	USPAT;	2004/01/07
		235/\$.ccls.	US-PGPUB:	14:39
			EPO; JPO;	1-7100
			DERWENT;	
			IBM_TDB	
9	104	(((((barcode or "bar code") and (multi-layer	USPAT;	2004/01/07
		or multilayer)) and array)) and response)	US-PGPUB;	14:39
		and induce	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	7	((stack\$3 near20 layers near30 (marking or	USPAT;	2004/01/07
		code\$1)) and 235/\$.ccls.) and (x-ray or radar	US-PGPUB;	15:47
		or magnetic or capacitance or thermal)	EPO; JPO;	
		-	DERWENT;	
			IBM_TDB	
11	2	5168477.pn.	USPAT;	2004/01/07
		•	US-PGPUB;	16:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

12	748	x-ray adj sensor	USPAT;	2004/01/07
			US-PGPUB;	16:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	37	(x-ray adj sensor) and tomographic	USPAT;	2004/01/07
			US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	2853	x-ray same tomographic	USPAT;	2004/01/07
			US-PGPUB;	16:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	28	((x-ray adj sensor) and tomographic) and	USPAT;	2004/01/07
	25	(x-ray same tomographic)	US-PGPUB;	16:04
		(x ray sams to megrapine)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	1	(((x-ray adj sensor) and tomographic) and	USPAT;	2004/01/07
	•	(x-ray same tomographic)) and label	US-PGPUB;	16:05
		(X ray barne to mographilo)) and rabor	EPO; JPO;	10100
			DERWENT;	
			IBM_TDB	
17	0	(((x-ray adj sensor) and tomographic) and	USPAT;	2004/01/07
		(x-ray same tomographic)) and barcode	US-PGPUB;	16:05
		(X ray ballic tollographilo)) and ballocae	EPO; JPO;	10100
			DERWENT;	
			IBM_TDB	
18	0	(((x-ray adj sensor) and tomographic) and	USPAT;	2004/01/07
10		(x-ray same tomographic)) and (bar adj	US-PGPUB;	16:05
		code)	EPO; JPO;	10.00
		code)	DERWENT;	
			IBM TDB	
19	0	((((x-ray adj sensor) and tomographic) and	USPAT;	2004/01/07
19		((((x-ray adj sensor) and tomographic) and (x-ray same tomographic)) and (bar adj	US-PGPUB;	16:05
		1		10:03
		code)) and (machine adj readable)	EPO; JPO;	
			DERWENT;	
20	_	((/v ray adi cancar) and farmarentia) and	IBM_TDB	2004/04/07
20	1	(((x-ray adj sensor) and tomographic) and	USPAT;	2004/01/07
		(x-ray same tomographic)) and (machine adj	US-PGPUB;	16:05
		readable)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	